

**Berkeley Math Circle**  
**Inequalities**  
Dimitar Grantcharov

### 1. QM-AM-GM-HM Inequalities

Many inequalities follow from the obvious

$$x_1^2 + x_2^2 + \dots + x_n^2 \geq 0$$

For example:  $a^2 + b^2 \geq 2ab$  is equivalent to  $(a - b)^2 \geq 0$ : true for any real numbers  $a, b$ . Similarly we prove that  $a^2 + b^2 + c^2 \geq ab + ac + bc$  (how?). If we consider nonnegative  $a$  and  $b$  then the basic AM-GM inequality,  $\frac{a+b}{2} \geq \sqrt{ab}$ , is equivalent to  $(\sqrt{a} - \sqrt{b})^2 \geq 0$ .

**Problem 1.** Prove that for any  $a, b > 0$

$$\sqrt{\frac{a^2 + b^2}{2}} \geq \frac{a + b}{2} \geq \sqrt{ab} \geq \frac{2}{\frac{1}{a} + \frac{1}{b}}.$$

**Problem 2.** If  $a_i > 0$  for  $i = 1, 2, \dots, n$ , and  $a_1 \dots a_n = 1$ , prove that

$$(1 + a_1)(1 + a_2) \dots (1 + a_n) \geq 2^n.$$

General form of the *QM-AM-GM-HM inequalities*:

$$\sqrt{\frac{a_1^2 + \dots + a_n^2}{n}} \geq \frac{a_1 + \dots + a_n}{n} \geq \sqrt[n]{a_1 \dots a_n} \geq \frac{n}{\frac{1}{a_1} + \dots + \frac{1}{a_n}}.$$

An equality holds if and only if  $a_1 = \dots = a_n$ .

**Problem 3.** Prove that

$$\frac{a}{b+c} + \frac{b}{c+a} + \frac{c}{a+b} \geq \frac{3}{2}$$

for any nonnegative  $a, b, c$ .

The QM-AM-GM-HM inequality is a particular case of the *Power Mean Inequality*. Namely, if for positive  $a_1, \dots, a_n$  we set

$$P_r(a_1, \dots, a_n) := \left( \frac{a_1^r + \dots + a_n^r}{n} \right)^{1/r}$$

for  $r \neq 0$ , and  $P_0(a_1, \dots, a_n) := \sqrt[n]{a_1 \dots a_n}$ ,  $P_\infty := \max\{a_1, \dots, a_n\}$ ,  $P_{-\infty} := \min\{a_1, \dots, a_n\}$ , we have:

$$P_r(a_1, \dots, a_n) \leq P_s(a_1, \dots, a_n) \text{ for } r < s.$$

## 2. Cauchy-Schwarz Inequality

*Cauchy-Schwarz Inequality:* For any real numbers  $a_1, \dots, a_n$  and  $b_1, \dots, b_n$

$$(a_1^2 + \dots + a_n^2)(b_1^2 + \dots + b_n^2) \geq (a_1 b_1 + \dots + a_n b_n)^2$$

(equivalently,  $|\vec{a}| |\vec{b}| \geq |\vec{a} \cdot \vec{b}|$ ). When does the equality hold?

**Problem 4.** Prove the triangle inequality

$$\sqrt{a_1^2 + \dots + a_n^2} + \sqrt{b_1^2 + \dots + b_n^2} \geq \sqrt{(a_1 + b_1)^2 + \dots + (a_n + b_n)^2}.$$

**Problem 5.** If  $a, b, c > 0$  prove that

$$abc(a + b + c) \leq a^3 b + b^3 c + c^3 a.$$

**Problem 6.** (IMO 1995) Let  $a, b, c$  be positive real numbers such that  $abc = 1$ . Prove that

$$\frac{1}{a^3(b+c)} + \frac{1}{b^3(c+a)} + \frac{1}{c^3(a+b)} \geq \frac{3}{2}.$$

### 3. Rearrangement and Chebyshev's Inequalities

*Rearrangement Inequality:* If  $a_1 \geq \dots \geq a_n$  and  $b_1 \geq \dots \geq b_n$  then for any permutation (rearrangement)  $c_1, \dots, c_n$  of  $b_1, \dots, b_n$ ,

$$a_1b_n + \dots + a_nb_1 \leq a_1c_1 + \dots + a_nc_n \leq a_1b_1 + \dots + a_nb_n$$

*Chebyshev's Inequality:* If  $a_1 \geq \dots \geq a_n$  and  $b_1 \geq \dots \geq b_n$  then

$$\frac{a_1 + \dots + a_n}{n} \frac{b_1 + \dots + b_n}{n} \leq \frac{a_1b_1 + \dots + a_nb_n}{n}$$

**Problem 7.** (IMO 1975) We consider two sequences of real numbers  $x_1 \geq x_2 \geq \dots \geq x_n$  and  $y_1 \geq y_2 \geq \dots \geq y_n$ . Let  $z_1, z_2, \dots, z_n$  be a permutation of the numbers  $y_1, y_2, \dots, y_n$ . Prove that

$$\sum_{i=1}^n (x_i - y_i)^2 \leq \sum_{i=1}^n (x_i - z_i)^2$$

.

**Problem 8.** (IMO 1978) Let  $a_1, a_2, \dots$  be a sequence of pairwise distinct positive integers. Then

$$\sum_{k=1}^n \frac{a_k}{k^2} \geq \sum_{k=1}^n \frac{1}{k}.$$

for any  $n$ .

**Problem 9.** Let  $a, b, c > 0$  Prove that

- (a)  $abc \geq (a+b-c)(b+c-a)(c+a-b)$ .
- (b)  $a^3 + b^3 + c^3 \geq a^2b + b^2c + c^2a$ .

#### 4. More problems on inequalities

**Problem 10.** (IMO 1969) Given real numbers  $x_1, \dots, x_n, y_1, \dots, y_n$ , and  $z_1, \dots, z_n$  satisfying  $x_i > 0, x_i y_i > z_i^2$ , for  $i = 1, \dots, n$ , prove that:

$$\frac{n^3}{(x_1 + \dots + x_n)(y_1 + \dots + y_n) - (z_1 + \dots + z_n)^2} \leq \frac{1}{x_1 y_1 - z_1^2} + \dots + \frac{1}{x_n y_n - z_n^2}.$$

Give necessary and sufficient conditions for equality.

**Problem 11.** Let  $a, b, c$  be real numbers such that  $0 \leq a, b, c \leq 1$ . Prove that

$$\frac{a}{1+bc} + \frac{b}{1+ca} + \frac{c}{1+ab} \leq 2.$$

**Problem 12.** Let  $a, b, c$  be sides of a triangle. Prove that

$$\frac{a}{b+c-a} + \frac{b}{c+a-b} + \frac{c}{a+b-c} \geq 3.$$

**Problem 13.** (USAMO 2003) Let  $a, b, c$  be positive real numbers. Prove that

$$\frac{(2a+b+c)^2}{2a^2+(b+c)^2} + \frac{(2b+c+a)^2}{2b^2+(c+a)^2} + \frac{(2c+a+b)^2}{2c^2+(a+b)^2} \leq 8$$

**Problem 14.** (USAMO 2001) Let  $a, b$ , and  $c$  be nonnegative real numbers such that

$$a^2 + b^2 + c^2 + abc = 4.$$

Prove that

$$0 \leq ab + bc + ca - abc \leq 2$$